

# **Journal of Ayurveda & Holistic Medicine**

www.jahm.co.in

elSSN-2321-1563

CASE REPORT OPEN ACCESS

# MANAGEMENT OF LICHEN PLANUS THROUGH AYURVEDA: A SINGLE CASE STUDY PARAG DEVADIYA<sup>1\*</sup> GYAN PRAKASH SHARMA<sup>2</sup> DILEEP KUMAR VYAS<sup>3</sup>

#### ABSTRACT:

Lichen Planus is an Autoimmune skin disorder of unknown etiology characterized by formation of flat topped, polygonal, greyish white, purple / lilac eruption, itching on skin most commonly on flexor surfaces, arms, wrists, back and less often on some other parts of body including nails, vagina & mouth. It is an inflammatory Papulo-squamous disorder in which Tlymphocytes attack the basal epidermis, producing characteristic clinical and histological lesions. Modern medicines like topical corticosteroids creams, lotions, injections, pills etc used in this disease are not significant, unsatisfactory and not free from side effects. According to Ayurvedic classics, it resembles with *Charma Kushtha*. Lichen Planus can be treated with the principles of treatment mentioned for *Kushtha* in *Ayurveda*. A 27 Year old patient came to our hospital for ayurvedic treatment after trying other pathy treatments. According to predominance of *Dosha-Dushya*, I treated patient with *Shodhana karma* i.e., *Vamana Karma* and *Shamana chikitsa* which shows that there was reduction in the size of lesions without recurrence.

<u>Keywords: -</u> Lichen Planus, Ayurveda, Kushtha, Shodhana karma, Vamana

<sup>1\*</sup>PG Scholar, <sup>2</sup>HOD, <sup>3</sup>Assistant Professor, PG Department of Panchkarma, UPGIAS&R, DSRRAU, Jodhpur, INDIA

Corresponding Email id: <a href="mailto:paragkalu@gmail.com">paragkalu@gmail.com</a> Access this article online: <a href="mailto:www.jahm.co.in">www.jahm.co.in</a>

Published by Atreya Ayurveda Publications under the license CC-by-NC-SA

# **INTRODUCTION:**

Lichen planus is an inflammatory Papulosquamous disorder in which T-lymphocytes attack the basal epidermis, producing characteristic clinical and histological lesions [1]. The lesions characterized by formation of flat topped, polygonal, greyish white, purple / lilac eruption, itching on skin most commonly on flexor surfaces, arms, wrists, back and less often on some other parts of body including nails, vagina & mouth<sup>[2]</sup>. The word lichen planus derived from word "lichen" which grows on rocks and tree barks and from Latin word "planus" means flat. It mainly occurs in middle age and women are commonly affected then men [3]. It is a disorder of unknown etiology. However, it may either be bacterial or viral in origin. Lichen Planus is an autoimmune disorder occurs due to result of an immune dysfunction with altered surface keratinocyte antigen presentation and subsequent cytotoxic T-cell reaction. According to modern medical science treatment of lichen planus is the use of topical systemic steroid, and antifungal, antihistamines, intralesional injections, ultraviolet A therapy, immunosuppressant, etc<sup>[4]</sup>. All these drugs are proved to reduce the symptoms temporarily and they cannot even stop progress of disease, so the cure is too far. According to Ayurvedic classics, symptoms of

Lichen Planus resembles with *Charma Kushtha*. It is a type of *Kshudra Kushtha*. *Charma Kushtha* is dominant of *Vata Dosha* and *Kapha Dosha*. Classical sign of *Charma Kushtha*, is skin over the patch becomes thick like the skin of an elephant (lichenification)<sup>[5]</sup>. I decided to treat patient as per predominance of *Dosha-Dushya* and as per treatment mentioned in Ayurvedic Texts for *Kushtha*.

#### **CASE REPORT:**

A male patient of age 27 year diagnosed with Lichen Planus by a dermatologist, Presented in Out Patient Department (OPD) of Department of Panchkarma. University Hospital of Ayurved, Dr. Sarvepalli Radhakrishnan Rajasthan Ayurved University, Jodhpur, Rajasthan, India (OPD Registration Number-26419) with complaints of flat topped, polygonal, grevish white, purple / lilac eruption with itching on ankles, forearms, neck, lower back and thighs. The size of papules measuring 5-6 mm to 9-10 mm in size. The onset of disease was started before 1.5 years, at that time papules was first appear on neck and then ankle region with small size of papules. After sometime they gradually appear on forearms, thighs and lower back with increased size of papules. Patient took allopathy treatment for one year but did not get relief, only itching was subsided, but after discontinuation of medicine itching again

persist immediately. Taking details about his daily routine, patient has irregular sleeping pattern and dietary habits like taking milkshakes, chapati with milk, which is *Viruddha ahar* according to *Ayurved*. All these hetusevan leads to skin disease, here *Lichen Planus*.

#### On Examination-

#### General Examination-

BP- 126/84 mm Hg

PR-86/ minute

RR-15/ minute Temp.- 35.8 °C

**Bowel-Clear** 

Appetite- Normal

Micturition - 5-6 times/day, Normal

Sleep- Sound, sometimes disturbed due to itching

Jiwha- Madhya Sama

Bala- Madhyama

Satva- Madhyama

Prakrati- Pitta Pradhan, Vata Anubandhi

Weight-58.7 Kg

CNS- Patients is conscious, well oriented

No relevant History of Past illness contributing

to the current condition of the Patient.

No History of Diabetes Mellitus or Hypertension.

All are said to be healthy in the family.

#### **Cutaneous Examination-**

Inspection-

- Colour/Pigmentation- Greyish White/Purple
- Types of Lesions- Papule
- Distribution of Lesions- Asymmetrical
- Sites- On flexor and extensor surface of both Hands, Lower Abdomen, neck, low back and ankle region
- Shape Grouped and Linear
  - Size- 5-10mm
  - Border- Demarcated

# Palpation-

- Tenderness- Absent
- Surface Texture- Rough and Dry
- Scaling- Absent
- Elevation- Raised
- Blanching- Absent
- Oedema- Absent

#### Investigation-

The most common diagnostic test for Lichen Planus is Skin Biopsy. But it was well diagnosed case of Lichen Planus by a dermatologist.

## Management-

Hetusevana like Viruddha Aahar, Diwaswapna, Chinta etc leads to the formation of Ama which vitiates Tridosha along with Twak, Rakta, Mamsa, Lasika and gets Sthanasamshraya in Twacha with Kandu leading to Charma Kushtha<sup>[6]</sup>. According to predominance of DoshaDushya and as per treatment mentioned in Ayurvedic Texts for Kushtha, following treatment is selected-

1. Shodhana karma- Vamana Karma

#### 2. Shamana Chikitsa

#### 1.Shodhana Karma- Vamana Karma

Vamana Karma is the first procedure of Shodhana karma which eliminates Vitiated doshas from amashaya, where doshas from whole body brought to amashaya by specific preoperative procedure. It is carried out in three steps- Poorva karma, Pradhana Karma and Pashchat Karma.

# A. Poorva karma-

- ₱ Deepana-Pachana- Deepana-Pachana/ Rukshana Karma with Panchkola churna 5gms twice daily before food and Chitrakadi vati 1 tablet twice daily after food with luke warm water.
- ♣ Arohana Snehapana- After Deepanapachana karma, agni of patient Vitiated and abhyantara snehapana was given with Go-Ghrita in increasing order for 7 days(shown in Table-1) and Samyaka Sniqdha Lakshan were seen. After observing Samyaka Sniadha Lakshan Patient was advised to take rest for 1 day and on Rest-day Sarvanga Abhyanga with Tila Taila and Sarvanga Swedana with Dashmoola and Erandamoola Kwath was given. Kaphotkleshan Aahar (Dahi-wada, Payasam, Bhaat etc) was given in evening on a day before Vamana Karma.

#### B. Pradhana Karma-

❖ Vamana Karma- On day of Vamana, patient was advised to pass natural urges and Sarvanga Abhyanga with Tila Taila and Sarvanga Swedana with Dashmoola and Erandamoola Kwath done and advised to take rest for some time. Before Vamana Karma, Vitals like B.P., P.R., R.R., Temperature, Weight, were noted. Then, Akantha Yavaqu Pana was done by patient. After that Madanaphala Kalpa i.e. Madanphala Pippali churna- 8 gms + Vacha- 4 gms + Saindhav lawana- 2 gms + Honey-20ml was given. After administration of Kalpa, we waited for 30 minutes for self-induction of emesis. Then after Yashtimadhu Phanta *(*1.5 liters). Lawanodaka (approx. 2 liters) and Ushnodaka (approx. 1 liter) was administered till Pittanta Vamana/ Samyaka Shuddhi.

#### C. Pashchat Karma-

After Samyaka Vegas, Dhoompana was administered. Patient was advised to take some rest and vitals were noted. Patient was strictly instructed to follow Samsarjana Krama for 7 days and should avoid himself from Ashtamahadoshkara bhava.

**Table-1 Showing Shodhana Chikitsa** 

Date	Karma	Treatment	Medicine/Procedures	
11-09-2022 to	Poorva Karma	Deepana-	Panchkola Churna-5 gms	
15-09-2022		Pachana/Rukshana	twice daily before food & Chitrakadi Vati 1 tablet twice daily before food with luke	
			warm	
			water	
16-09-2022 to		Abhyantara Snehapana	Go-Ghrita in increasing order	
22-09-2022			30ml, 60ml, 90ml, 120ml,	
			150ml, 180ml,	
			210ml for 7 days	
23-09-2022		Sarvanga Abhyanga &	Abhyanga with Tila Taila	
		Sarvanga Swedana	& <i>Swedana</i> with	
		On Rest Day	Dashmoola Kwath,	
			Eranadamoola Kwath	
24-09-2022	Pradhana Karma	Vamana Karma	Sarvanga Abhyanga with Tila	
			Taila & Swedana with	
			Dashmoola Kwath,	
			Eranadamoola Kwath, after	
			that Akantha Yavagu Pana,	
			then	
			administration of	
			Madanaphala Kalpa-	
			Madanaphala Pippali	
			churnal- 8gms + Vacha- 4	
			gms +	
			Saindhav- 2gms + Honey-20	
			ml, then <i>Yashtimadhu</i>	
			Phanta-1.5 liters,	
			Lawanodaka- 2 liters,	
			Ushnodaka- 1 liter will be	
			given	
			Total= 7 <i>vega</i> and	

			Pittanta Vamana Observed
24-09-2022	Pashchata Karma	Dhoompana	With Dhoomvarti made up of Trikatu, Haridra,
24-09-2022 to 30-09-2022			Ghrita
		Samsarjana Krama	For 7 Days with Peya, Vilepi, Akrita Yusha & Krita Yusha

# 2.Shamana Chikitsa-

Table-2 Showing Shamana Chikitsa

Sr.NO.	Ayurvedic Medicine	Doses	Anupana	Duration
1.	Gandhaka Rasayan <sup>[7]</sup>	250 mg before meal	Koshna Jala	
2.	Rasa Manikya <sup>[8]</sup>	50 mg before meal	Koshna Jala	
3.	Giloy Churna	3 gms before meal	Koshna Jala	
4.	Arogyavardhani Vati <sup>[9]</sup>	2 bd After meal	Koshna Jala	3 Months
5.	Panchtikta Ghrita Guggulu[10]	2 bd After meal	Koshna Jala	
6.	Mahamanjishthadi Kwath[11]	20ml bd before meal	Koshna Jala	
7.	Triphala Churna	5 gm at Night bed time	Koshna Jala	
8.	Mahamarichyadi Taila <sup>[12]</sup>	For L/A	-	-

# **RESULTS**

Photographs of Papules/lesion was taken before initiation of treatment, every follow up and after completion of treatment (shown in figure 1 &2). Clinical assessment of patient was done on every visit. The photographs which were taken on every visit when

compared to last visit, were able to reveal the changes in the lesions. Size of papules were also decreases, no recurrence and no new lesions were reported during treatment. No adverse events were reported due to *Shodhana* and *Shamana Chikitsa*. This all

shows promising and remarkable effect of treatment.

Figure- 1. Before treatment



Figur After Treatment



# **DISCUSSION**

In Lichen planus verrucous lichenification of skin occurs, in which thickening of skin occurs which looks like the skin of an elephant. In Ayurveda, these symptoms resemble with Charma Kushtha, which is classified under Kshudra Kushtha category of Kushtha, Treatment of Kushtha involves Shodhana Karma, Shamana Chikitsa and external

application of Medicines along with Dietary and lifestyle modification which plays an important role in the management of *Kushtha*. Lichen Planus is an Auto-immune skin disorder of unknown etiology. Current conventional treatment of Lichen Planus involves use of topical and systemic steroid, antifungal, antihistamines, intralesional injections, ultraviolet A therapy, immunosuppressant,

etc. All these drugs are proved to reduce the symptoms temporarily and they cannot even stop progress of disease *Charma Kushtha* being *Vata-Kaphaja Vyadhi* and as per predominance of *Dosha-Dushya*, patient was treated with *Shodhana Karma* i.e., *Vamana Karma* followed by *Shamana Chikitsa*.

Vamana Karma is the best Purification method for elimination of aggrevated Kapha and many Acharyas had indicated Vamana Karma for Kushtha.

Shamana Chikitsa of Kushtha depends on involvement of Dosha-Dushya, on the basis of Nidaanam and nature of disease. Formulations having Kushthaghna, Kandughna, Krimighna, Vata-Kapha hara, Raktashodhaka, Rasayana properties were used.

Gandhaka rasavana Possess Vishaahna. Kushthaghan properties which helps in cure of skin disease. Rasamanikya made up of Shuddha Hartala, Shuddha Gandhaka, Parada, Manahshila, Naga bhasma, Tamra bhasma, Abhraka bhasma etc. having antimicrobial properties. balances Vata-Kapha Dosha. enhances colour, complexion and integrity of skin, removes excessive toxins from body. Giloy Churna balances Tridosha, having antiviral, anti- inflammatory effect helps to treat Kushtha, Vata-Rakta etc. Aroqyavardhani Vati having ingredients like Katuki, Nimba, Tamra, Gandhaka, Loha etc have Lekhana,

Pachana. Vranashodhaka action indicated in all types of Kushtha. Panchtikta Ghrita Guggulu consists of tikta rasa dravyas like Nimba, Patola, Guduchi, Vasa etc have properties like Antipruritic, Anti-inflammatory, purifies blood which helps in reducing skin lesions. Mahamajishthadi kwath is indicated in Rakta dushti Vyadhis like 18 types of Kushtha, Vatarakta, Updansha. Triphala Churna helps in Ama Pachana, having rich anti-oxidant so useful in skin diseases. property Mahamarichyadi Taila used local application, having ingredients Maricha, Trivritta. Arka. Haridra. Nimba. Kutaia. Shirisha, Gomutra, Gomaya etc acts as antifungal, antiseptic and is indicated in Kushtha.

### Conclusion-

Lichen Planus is an autoimmune disease. Due limitations and adverse effect conventional treatment this case study shows that Shodhana Karma i.e. Vamana Karma along with Shamana Chikitsa i.e. oral administration of medicines like Gandhaka Rasayana, Rasa Manikya, Arogyavardhani Vati, Gilov Churna, Panchtikta Ghrita Guagulu, Mahamanjishthadi Kadha, Triphala Churna with local application of Mahamarichyadi Taila seems very effective in the treatment of Lichen Planus or Charma Kushtha. On the basis of results of this study it can be said that

Charma Kushtha or Lichen Planus is responding well with treatment principles given by Our Acharyas. This observation endorses a step toward the practice of Ayurvedic intervention in Lichen Planus.

#### **REFERENCES**

- Fauci-braunwald-kasper-hauser-longojameson-loscalzo, Harrison's principles of internal medicine, 316:17 – 1.
- Virendra N. Sehgal, Textbook of clinical dermatology, Jaypee brothers Medical publishers, 5<sup>th</sup> edition, 2011:5
- Rook A, Wilkinson DS, Ebling FJ. Lichen planus and lichenoid disorders. In: Champion RH, Burton JL, Ebling FJ, editors. *Textbook of Dermatology*. 5th ed. Vol. 3. Oxford: Blackwell Scientific Publications; 1992:1675–98.
- Virendra N. Sehgal, Textbook of Clinical Dermatology, Jaypee Brothers Medical Publishers, 5<sup>th</sup> edition, 2011
- Sharma RK, Dash B, editors. Charaka Samhita of Charaka, Chikitsasthanam, Chapter 7, Verse no. 21. Varanasi; Chowkhamba Sanskrit Series Office; 2012:324-5

- Sharma RK, Dash B, editors. Charaka Samhita of Charaka, Chikitsasthanam. Chapter 7, Verse no. 19. Varanasi; Chowkhamba Sanskrit Series Office; 2012:323
- Dr. Indradeva Tripathi, Yogaratnakar, Kushtha Chikitsa, Verse no.-26 1st edition, Varanasi; Krishnadas Academy, 1998:644
- Bhatta K.G, Hindi Commentary of Tripathi I. D. on Sangraha Rasendra Sara,. 2nd Edition. Verse no. 191-196. Vol. 1. Varanasi: Chaukhamba Orientallia; 1998:48–49
- Ayurvedic Formulary of India. Part I and II.
   Ministry of Health and Family Welfare, Govt. of India. 2005
- Ambikadatta Shashtri, Bhaishjyaratnavali,
   Kushtharogadhikar, Chapter 54, Verse no. 233-236, Varanasi; Chowkhambha Sanskrit
   Sansthan; 18<sup>th</sup> edition. 2005:904
- 11. Shailaja Srivastava, Jivanprada Hindi commentary on Sharngadhara Samhita of Sharangdhara, Madhyam Khanda 2, Varanasi; Chaukhambha orientalia, 2011:137-142

Shri Vaidya Gopinath Bhishgratna, Bharata Bhaishajya Ratnakara, Makaradi Taila Prakarana/5288 Delhi; B. Jain Publishers Pvt. Ltd.; Vol. 4; Reprint edition; 1999:98.

#### **CITE THIS ARTICLE AS**

Parag Devadiya, Gyan Prakash Sharma, Dileep Kumar Vyas. Management of Lichen Planus
Through Ayurveda: A Single Case Study. *J of Ayurveda and Hol Med (JAHM)*. 2023;11(2):219-228

**Conflict of interest:** None **Source of support:** None